

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	media near device\$1 near15 poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:04
L2	3	media near device\$1 near15 poll\$4 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:09
L3	7726	device\$1 near15 poll\$4 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:10
L4	201	device\$1 near15 poll\$4 near10 server and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:10
L5	422	device\$1 near15 poll\$4 near10 command\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:10
L6	3	device\$1 near15 poll\$4 near10 command\$1 near10 server\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:11
L7	0	appliance\$1 near15 poll\$4 near10 command\$1 near10 server\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:12

EAST Search History

L8	9	appliance\$1 near15 poll\$4 near10 command\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:14
L9	0	(appliance\$1 or device\$1) near15 request4 near10 command\$1 near10 server\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:15
L10	0	(appliance\$1 or device\$1) near15 request4 near10 command\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:15
L11	426	(appliance\$1 or device\$1) near15 poll\$4 near10 command\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:15
L12	264	(appliance\$1 or device\$1) adj15 poll\$4 near10 command\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:16
L13	5	(appliance\$1 or device\$1) adj15 poll\$4 near10 command\$1 near10 connection\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:23
L14	264	(appliance\$1 or device\$1) adj15 poll\$4 near10 command\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:23

EAST Search History

L15	744	(appliance\$1 or device\$1) adj15 (poll\$4 or request\$4) near10 command\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:24
L16	878	(appliance\$1 or device\$1) adj15 (poll\$4 or request\$4) adj10 (status\$2 or configuration\$1 or command\$1) and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:25
L17	837	(appliance\$1 or device\$1) adj10 (poll\$4 or request\$4) adj10 (status\$2 or configuration\$1 or command\$1) and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:25
L18	46	(appliance\$1 or device\$1) adj10 (poll\$4 or request\$4) adj10 (status\$2 or configuration\$1 or command\$1) near10 server and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:36
L19	1422	(appliance\$1 or device\$1) adj5 (issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:37
L20	1178	(appliance\$1 or device\$1) adj5 (issu\$4 or send\$4 or transmit\$4) adj5 (poll\$4 or request\$4) and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:37
L21	35	(appliance\$1 or device\$1) adj5 (issu\$4 or send\$4 or transmit\$4) adj5 (poll\$4 or request\$4) adj5 server\$1 and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:45

EAST Search History

L22	4	("6732158" "6499054").pn. and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:46
L23	0	("6732158" "6499054").pn. and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:46
L24	2	("6732158" "6499054").pn. and request\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:46
L25	2	("6732158" "6499054").pn. and request\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:47
L26	0	("6732158" "6499054").pn. and (appliance\$1 or device\$1) adj5 (issu\$4 or send\$4 or transmit\$4) near15 request\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:48
L27	0	("6732158" "6499054").pn. and (appliance\$1 or device\$1) near15 request\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 14:48
L28	2	("6732158" "6499054").pn. and request\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:14

EAST Search History

L40	15	(US-20030217360-\$ or US-20020078467-\$ or US-20010049617-\$ or US-20010038392-\$ or US-20010031997-\$).did. or (US-6944584-\$ or US-6898709-\$ or US-6893951-\$ or US-6779153-\$ or US-6693661-\$ or US-6615088-\$ or US-6560637-\$ or US-6443843-\$ or US-6151625-\$ or US-6008802-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/01/16 15:10
L41	13	(US-20030217360-\$ or US-20020078467-\$ or US-20010049617-\$ or US-20010038392-\$ or US-20010031997-\$).did. or (US-6944584-\$ or US-6898709-\$ or US-6893951-\$ or US-6779153-\$ or US-6693661-\$ or US-6615088-\$ or US-6560637-\$ or US-6443843-\$ or US-6151625-\$ or US-6008802-\$). did. and (request\$4 or poll\$4)	US-PGPUB; USPAT	OR	OFF	2007/01/16 15:10
L42	2386	(poll\$4 or request\$4) near10 command\$1 near10 server\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:15
L43	1495	(poll\$4 or request\$4) adj10 (command\$1 or instruction\$1 or operation\$1) adj10 server\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:16
L44	0	recoder adj10 (poli\$4 or request\$4) adj10 (command\$1 or instruction\$1 or operation\$1) adj10 server\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:16
L45	1	appliance\$1 adj10 (poll\$4 or request\$4) adj10 (command\$1 or instruction\$1 or operation\$1) adj10 server\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:17

EAST Search History

L46	28	device\$1 adj10 (poll\$4 or request\$4) adj10 (command\$1 or instruction\$1 or operation\$1) adj10 server\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:28
L47	40961	(poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:29
L48	8838	(issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:30
L49	1494	(issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1).ab. and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:30
L50	0	appliance\$1 near10 (issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1).ab. and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:30
L51	6	appliance\$1 near10 (issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:33
L52	246	(issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) adj10 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:33

EAST Search History

L53	224	(issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) adj10 server and (send\$4 or transmit\$4) near10 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:34
L54	68	(issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) adj10 server and response near10 (send\$4 or transmit\$4) near10 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:01
L55	2	camera\$1 near10 (issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) adj10 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:03
L56	246	(issu\$4 or send\$4 or transmit\$4) near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) adj10 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:03
L57	180	(issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) adj10 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:04
L58	3	device\$1 adj10 (issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) adj10 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:05
L59	367	device\$1 adj10 (issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:06

EAST Search History

L60	0	pherphial adj10 (issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:06
L61	26	peripheral adj10 (issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:06
L62	26	peripheral\$1 adj10 (issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:06
L63	48	(peripheral\$1 or electronic\$1) adj10 (issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:47
L64	4	("20060265513" "20060235945") and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:24
L65	4	("20060265513" "20060235945") and (@ad<"20000808" or @rlad<"20000808") and (poll\$4 or request\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:24
L66	198	(issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) near15 (connection or online) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:49

EAST Search History

L67	18	(issu\$4 or send\$4 or transmit\$4) adj10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) near15 server near10(connection or online) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:54
L68	2	device\$1 near10 (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) near15 server near10(connection or online) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:55
L69	117	(poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) near15 server near10(connection or online) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:05
L70	26	server near10 stor\$4 near10 (command\$1 or instruction\$1 or operation\$1) and (poll\$4 or request\$4) adj5 (command\$1 or instruction\$1 or operation\$1) near15 server near10(connection or online) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:13
L71	17	server near10 stor\$4 near10 (command\$1 or instruction\$1 or operation\$1) and poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:19
L72	0	remote near device\$1 adj15 poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:20
L73	1	remote near device\$1 adj15 poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:20

EAST Search History

L74	250	device\$1 adj15 poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:21
L75	1	device\$1 adj15 poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:22
L76	103	device\$1 adj15 request\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near10 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:22
L77	4	device\$1 adj15 request\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near10 (queue\$2 or store\$1)near5 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:23
L78	6	poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near10 (queue\$2 or store\$1)near5 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:50
L79	128	poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near10 (queue\$2 or database or file\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:52
L80	4	device\$1 adj10 poll\$4 adj5 (command\$1 or instruction\$1 or operation\$1) near10 (queue\$2 or database or file\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:52
S1	1353	remote\$3 near15 video near15 recorder	US-PGPUB; USPAT	OR	OFF	2004/12/16 08:16

EAST Search History

S14 0	16	(web or browser) near15 (interfac\$3 or representat\$3 or panel) near15 (control\$4 or operat\$4)same (device\$1 or television or tv or recorder).ab. and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:37
S14 1	215	(web or browser) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:59
S14 2	0	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:43
S14 3	86	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:46
S14 4	1	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near10 remot\$4 near10 (device\$1 or player or television or tv or recorder) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:44
S14 5	100	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:46
S14 6	0	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and program near2 guide and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:47

EAST Search History

S14 7	84	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:11
S14 8	51	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and guide\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:57
S14 9	25	simulat\$4 near15 (web or browser or user) near15 (interfac\$3) near15 (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and (interfac\$3) near10 (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and guide\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 10:56
S15 0	9	simulat\$4 near15 ((web or browser or user) near15 (interfac\$3) or GUI) near15 (device\$1 or player or television or tv or recorder).ab. and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:07
S15 1	14	simulat\$4 near15 ((web or browser or user) near15 (interfac\$3) or GUI\$1) near15 (devices or player or television or tv or recorder).ab. and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:02
S15 2	0	simulat\$4 near15 (GUI\$1 or interfac\$3) near15 (control\$4 or operat\$4)same media near3 (devices or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:06

EAST Search History

S15 3	0	simulat\$4 near15 (GUI\$1 or interfac\$3) near15 media near3 (devices or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:06
S15 4	3	simulat\$4 near15 (GUI\$1 or interfac\$3) near15 media near3 (device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:06
S15 5	83	simulat\$4 near15 ((web or browser or user) near15 (interfac\$3) or GUI) near15 (device\$1 or player or television or tv or recorder) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:10
S15 6	11	simulat\$4 near15 (web or browser or user) near15 (interfac\$3 or GUI\$1).ab. and (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:11
S15 7	18	simulat\$4 near15 (interfac\$3 or GUI\$1).ab. and (control\$4 or operat\$4)same (device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:13
S15 8	18	simulat\$4 near15 (interfac\$3 or GUI\$1).ab. and (control\$4 or operat\$4)same (appliance\$1 or device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:15

EAST Search History

S15 9	0	web near2 browser near15 (interfac\$3 or GUI\$1).ab. and simulat\$4 near15(control\$4 or operat\$4)same (appliance\$1 or device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:14
S16 0	0	web near2 browser near15 (interfac\$3 or GUI\$1).ab. and simulat\$4 and (control\$4 or operat\$4)same (appliance\$1 or device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:15
S16 1	11	web near15 (interfac\$3 or GUI\$1).ab. and simulat\$4 and (control\$4 or operat\$4)same (appliance\$1 or device\$1 or player or television or tv or recorder) and (control or command) near3 button\$1 and receiv\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:55
S16 2	2	"5956487".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:56
S16 3	122	("5956487").URPN.	USPAT	OR	OFF	2007/01/11 12:44
S16 4	23	("4899129" "4899217" "4914568" "5218552" "5268666" "5295242" "5519878" "5570085" "5636211" "5701451" "5708776" "5715453" "5715823" "5727159" "5732074" "5734835" "5751956" "5761071" "5761280" "5761673" "5764910" "5790977" "5805442").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/11 11:58
S16 5	23	S164 and (interface\$2 or GUI\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/11 12:44

EAST Search History

S16 6	3	simulat\$4 near15 panel\$1 near15 (device\$1 or player or television or tv or recorder) same (interface\$1 or GUI\$1) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:04
S16 7	33	simulat\$4 near15 panel\$1 near15 (device\$1 or player or television or tv or recorder) and (interface\$1 or GUI\$1) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:08
S16 8	16	simulat\$4 near15 panel\$1 near15 (device\$1 or player or television or tv or recorder) and (interface\$1 or GUI\$1) and control near3 button\$1 and (@ad<"20000808" or @rlad<"20000808") and web	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:08
S16 9	131	simulat\$5 near15 panel\$1 near10 devices	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:46
S17 0	85	simulat\$5 near15 panel\$1 near10 devices and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:46
S17 1	0	simulat\$5 near15 panel\$1 near10 devices same web and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:46
S17 2	1	simulat\$5 near15 panel\$1 near10 devices and web near browser and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:48

EAST Search History

S17 3	18	simulat\$5 near15 control\$1 near10 devices and web near browser and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:50
S17 4	18	simulat\$5 near15 (control\$1 or panel) near10 (devices or appliances) and web near browser and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:54
S17 5	24	simulat\$5 near15 (control\$1 or panel) near15 ((web or user near2 interface\$1) or GUI\$1) and (control\$4 or operat\$4) near15 (devices or appliances) and web near browser and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 12:57
S17 6	13	(simulat\$5 or virtu\$4) near15 (control\$1 or panel) near15 (devices or appliances) near15 ((web or user near2 interface\$1) or GUI\$1) and (control\$4 or operat\$4) near15 (devices or appliances) and web near browser and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:01
S17 7	2040	(simulat\$5 or virtu\$4) near15 (control\$1 or panel) near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:01
S17 8	2061	(simulat\$5 or virtu\$4) near15 (control\$1 or panel\$1) near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:02
S17 9	3	web near15 (simulat\$5 or virtu\$4) near15 (control\$1 or panel\$1) near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:02

EAST Search History

S18 0	4	web\$6 near15 (simulat\$5 or virtu\$4) near15 (control\$1 or panel\$1) near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:07
S18 1	127	web\$6 near15 (simulat\$5 or virtu\$4) near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:07
S18 2	13	web\$6 near15 (simulat\$5 or virtu\$4) near15 interface\$1 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:12
S18 3	549	web\$6 near15 interface\$1 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:12
S18 4	18	web\$6 near15 interface\$1 near15 (devices or appliances) and (imitat\$5 or simulat\$5 or virtu\$6) near15 (control\$5 or panel\$1)near15 (devices or appliances)and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:14
S18 5	16	web\$6 near15 interface\$1 near15 (devices or appliances) and (imitat\$5 or simulat\$5 or virtu\$6) near15 (control\$5 or panel\$1)near15 (devices or appliances)and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:17
S18 6	0	web\$6 near15 interface\$1 near15 (imitat\$5 or simulat\$5 or virtu\$6) near15 (control\$5 or panel\$1)near15 (devices or appliances)and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:17

EAST Search History

S18 7	7	web\$6 near15 interface\$1 near15 (imitat\$5 or simulat\$5 or virtu\$6) near15 (devices or appliances)and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:19
S18 8	80	web\$6 near15 (imitat\$5 or simulat\$5 or virtu\$6) near15 (devices or appliances)and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:19
S18 9	14	web\$6 near15 (imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:21
S19 0	777	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:21
S19 1	178	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and web\$6 near15 (interface\$1 or panel\$1 or control\$3) and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:22
S19 3	105	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and web\$6 near15 (interface\$1 or panel\$1 or control\$3) and command\$1 near15 (device\$1 or appliance\$1) and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:43

EAST Search History

S19 4	35	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and web\$6 near15 (interface\$1 or panel\$1 or control\$3) and command\$1 near15 (device\$1 or appliance\$1) and (@ad<"20000808" or @rlad<"20000808")and server\$1 and (devices or appliances) near15 recorder\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:24
S19 5	39	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and web\$6 near15 (interface\$1 or panel\$1 or control\$3) and command\$1 near15 (device\$1 or appliance\$1) and (@ad<"20000808" or @rlad<"20000808")and server\$1 and (device\$1 or appliance\$1) near15 recorder\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:40
S19 6	3	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and web\$6 near15 web near2 browser near15 control\$5 near15 (device\$1 or appliance\$1) and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:57
S19 7	147	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and((web near2 browser) or client) near15 control\$5 near15 (device\$1 or appliance\$1) and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S19 8	10	(imitat\$5 or simulat\$5 or virtu\$6) near15 (interface\$1 or panel\$1 or control\$3) near15 (devices or appliances)and((web near2 browser) or client) near15 control\$5 near15 (device\$1 or appliance\$1). ab. and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:47

EAST Search History

S19 9	2	"20040006620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:48
S20 0	2	"5892535".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:10
S20 1	0	"7046161".pn. and web near browser	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:11
S20 2	1	"7046161".pn. and browser	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:11
S20 3	1633	browser\$6 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:59
S20 4	229	browser\$6 near15 control\$5 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")and server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:00
S20 5	67	browser\$6 near15 control\$5 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")and server\$1 and (devices or appliances) same recorder\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:00

EAST Search History

S20 6	95	browser\$6 near15 control\$5 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")and server\$1 and (devices or appliances) same (recorder\$1 or television\$1 or TV\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:01
S20 7	85	browser\$6 near15 control\$5 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")and server\$1 and (devices or appliances) same (recorder\$1 or television\$1 or TV\$1) and command\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:01
S20 8	68	browser\$6 near15 control\$5 near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")and server\$1 and (devices or appliances) same (recorder\$1 or television\$1 or TV\$1) and command\$1 and ((graphical near2 interface\$1) or GUI\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:03
S20 9	78	browser\$6 near15 (control\$5 or operat\$4) near15 (devices or appliances) and (@ad<"20000808" or @rlad<"20000808")and server\$1 and (devices or appliances) same (recorder\$1 or television\$1 or TV\$1) and command\$1 and ((graphical near2 interface\$1) or GUI\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:03
S21 0	1	"6308205".pn.	US-PGPUB; USPAT	OR	OFF	2007/01/12 16:08
S21 1	1	"6308205".pn. and internet	US-PGPUB; USPAT	OR	OFF	2007/01/12 16:08
S21 2	100	browser\$6 near5 interface near15 control\$4 near15 (device\$1 or appliance\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 18:08
S21 3	3662	browser\$6 near5 interface near15 control\$4 near15 (device\$1 or appliance\$1) and stor\$4 near10 command\$1 near15 file\$1 and (device\$1 or appliance\$1) near15 request\$4 or poll\$4 near15 (file\$1 or command\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:40

EAST Search History

S21 4	0	browser\$6 near5 interface near15 control\$4 near15 (device\$1 or appliance\$1) and stor\$4 near10 command\$1 near15 file\$1 and (device\$1 or appliance\$1) near15 (request\$4 or poll\$4) near15 (file\$1 or command\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:44
S21 5	29	browser\$6 near5 interface near15 control\$4 near15 (device\$1 or appliance\$1) and (device\$1 or appliance\$1) near15 (request\$4 or poll\$4) near15 (file\$1 or command\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:42
S21 6	352	interface and stor\$4 near10 command\$1 near15 file\$1 and (device\$1 or appliance\$1) near15 (request\$4 or poll\$4) near15 (file\$1 or command\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:43
S21 7	284	interface and control\$4 near10 (device\$1 or appliance\$1) and stor\$4 near10 command\$1 near15 file\$1 and (device\$1 or appliance\$1) near15 (request\$4 or poll\$4) near15 (file\$1 or command\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:43
S21 8	12	browser\$6 near15 control\$4 near15 (device\$1 or appliance\$1) and stor\$4 near10 command\$1 near15 file\$1 and (device\$1 or appliance\$1) near15 (request\$4 or poll\$4) near15 (file\$1 or command\$1) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:47
S21 9	646	(device\$1 or appliance\$1) near15 (request\$4 or poll\$4) near15 (file\$1 or command\$1) same connection\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:48

EAST Search History

S22 0	22	(device\$1 or appliance\$1) near15 poll\$4 near15 (file\$1 or command\$1) same connection\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:48
S22 1	3	(device\$1 or appliance\$1) near15 poll\$4 near15 (file\$1 or command\$1) same connection\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:50
S22 2	86	(device\$1 or appliance\$1) near15 request\$4 near15 (file\$1 or command\$1) same connection\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:50
S22 3	106	(device\$1 or appliance\$1) with request\$4 with (file\$1 or command\$1) same connection\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:50
S22 4	43	(device\$1 or appliance\$1) adj15 request\$4 adj15 (file\$1 or command\$1) same connection\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:59
S22 5	4	(device\$1 or appliance\$1) adj15 request\$4 adj15 (file\$1 or command\$1) same connection\$1 near15 server and (@ad<"20000808" or @rlad<"20000808") and (device\$1 or appliance\$1) near10 poll\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:53
S22 6	0	(device\$1 or appliance\$1) adj15 poll\$4 adj15 server adj15 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:53

EAST Search History

S22 7	14	(device\$1 or appliance\$1) near15 poll\$4 near15 server near15 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:54
S22 8	9	(device\$1 or appliance\$1) adj15 request\$4 adj15 command\$1 near10 file\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:59
S22 9	9	(device\$1 or appliance\$1) adj15 (request\$4 or poll\$4) adj15 command\$1 near10 file\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:02
S23 0	91	(device\$1 or appliance\$1) adj15 (request\$4 or poll\$4) adj15 command\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:07
S23 1	0	(device\$1 or appliance\$1) adj15 (request\$4 or poll\$4) adj15 command\$1 near15 server and (@ad<"20000808" or @rlad<"20000808") and stor\$4 near10 command\$1 near10 file\$1 near10 sever\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:03
S23 2	10	(device\$1 or appliance\$1) adj15 (request\$4 or poll\$4) adj15 command\$1 near15 server and (@ad<"20000808" or @rlad<"20000808") and stor\$4 near10 command\$1 near10 file\$1 near10 server\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:06
S23 3	7	(device\$1 or appliance\$1) adj15 poll\$4 adj15 command\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:06

EAST Search History

S23 4	234	(device\$1 or appliance\$1) adj15 (request\$4 or poll\$4) near15 command\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:07
S23 5	7	(device\$1 or appliance\$1) adj15 poll\$4 near15 command\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:07
S23 6	13	(device\$1 or appliance\$1) near15 poll\$4 near15 command\$1 near15 server and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:14
S23 7	70	(device\$1 or appliance\$1) near15 request\$4 near15 command\$1 near15 server same connect\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:38
S23 8	11	remot\$4 near15 control\$4 near15 (device\$1 or appliance\$1) and (device\$1 or appliance\$1) near15 request\$4 near15 command\$1 near15 server same connect\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:35
S23 9	57	(device\$1 or appliance\$1) near15 poll\$4 near15 server same connect\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:47
S24 0	5265	(device\$1 or appliance\$1) adj15 poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:47

EAST Search History

S24 1	61	appliance\$1 adj15 poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:55
S24 2	5221	device\$1 adj15 poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:55
S24 3	69	device\$1 adj15 poll\$4 adj15 configuration\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:56
S24 4	160	device\$1 adj15 poll\$4 adj15 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:56
S24 5	30	browser\$6 near5 interface near15 control\$4 near15 (device\$1 or appliance\$1) and poll\$4 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 18:12
S24 6	10	browser\$6 near5 interface near15 control\$4 near15 (device\$1 or appliance\$1) and (device\$1 or appliance\$1) near10 request\$4 near10 command\$1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 18:13